

PRODUCT CATALOG

VOL.16

KOMELON Corporation

For over 55 years, Komelon has manufactured a full line of quality measuring tools with a dedication and passion for craftsmanship while supplying markets throughout the world.

As the world's most vertically integrated measuring tape manufacturer, Komelon handles it all with the most advanced and innovative R & D technology. This enables Komelon to manage everything from our raw material manufacturing plant, to global marketing, and distribution. By doing this, we ensure our customers the highest quality products, at competitive pricing.

Komelon Corporation - Korea

This is the corporate headquarters housing all product design, engineering and research & development. This facility is also where our tape measures, cutter knives, Meter-Man Measuring wheels, and saw lines are manufactured.

Komelon Steel Corporation - Korea

Komelon manufacturers its own steel strip material for all blades and springs used in tape measure production. This ensures the highest quality tape measures on the market.

Komelon China

This manufacturing facility is located in Qingdao, China. The facility was built to better serve Komelon's rapidly growing wordwide sales.

Komelon USA Division

This sales and distribution center for North America warehouses high inventory levels to ensure fast shipments and superior customer service.



KOMELON Corporation



KOMELON Steel



KOMELON China



KOMELON USA Division

CONTENTS

Contractor Series		See Page 5~8
Contractor TS Contractor LR	Contractor LT	
Specialty Tapes		See Page 9~11
LED Flat Tape	Keychain Tapes	
PowerBlade Tapes		See Page 12~14
 ABS PowerBlade™II, Magnetic ABS PowerBlade™II 	 Inch/Engineer ABS PowerBlade™II Self Lock ABS PowerBlade™II 	
Stainless Steel Tapes		See Page 15~17
Stainless Steel Gripper™ Stainless Steel Self Lock™		
Self Lock Tapes		See Page 18~20
Self Lock™ Evolution Self Lock™ Evolution (Inch/Metric)	• Self Lock™, Speed Mark Self Lock™	
Magnetic Tapes		See Page 21~23
 MagGrip™Pro MagGrip™, Neo MagGrip™ 		
Power Tapes		See Page 24~32
 Big John[™] The Chrome Professional[™], The Professional[™] Gripper[™]Speed Mark[™], Gripper[™] 	 Power Tape™, The Tradesmen™ Touch Lock™ Gripper™Pro 	
Fiberglass Tapes		See Page 33~36
 Fast Back[™], Fiber Reel(open) 		
Long Steel Tapes		See Page 37~41
 Metal Frame Steel Reel, Steel Reel Gripper™, Gripper™Evolution 	Long Steel Information	
Accessories		See Page 42~44
Quick Draw Belt Clip	Torch Safe	
Private Label Program		See Page 45
Measuring Wheel		See Page 45~52
Cutter Knife		See Page 54~55
Komelon Saw		See Page 56~59

INDEX

item #	Page no.	item #	Page no.	item #	Page no.	item #	Page no.
16LR	7	7425IM	23	MK4512	50	SM5425	29
25LED	10	7430	23	MK45M	50	SM5430	29
25LR	7	8811	35	MK6012	51	SNB-A4	55
410HV	26	9901	40	MK60M	51	SNP-W4	55
4110CS	11	9901IM	40	MK7912	51	SS116	16
412HV	26	9905	40	MK79M	51	SS125	16
416HV	26	9911	41	MKMM12	49	\$\$130	16
425HV	26	52416	13	ML1212	47	T\$1	44
425IEHV	26	52425	13	ML1810	47	T3725	30
430HV	26	52425IE	13	ML1812	47	T3925	30
433IEHV	26	52430	13	ML18M	47		• • •
435HV	26	52435	13	MMW15	53		
535C	25	66330IM	38	N6100	39		
3110	32	73425	13	N6200	39		
3516	31	79425	6	N6300	39		
3725	30	93416	6	N9100	8		
3925	30	93425	6	N9200	8		
4912	28	93435	6	OS-265B	57		
4912IM	28	CMC-330	59	PG-265	57		
4916	28	CMC-330B	59	PG85	29		
4916IM	28	EV2825	19	PSE55E	19		• • •
4925	28	EV2830	19	PSE85E	19		
4925IM	28	EV28116	19	PWC-300	59		
4930	28	EW31	52	PWC-300B	59		
4930IM	28	F12	11	QD1	43		
4933	28	FB-240	58	SL2812	20		
5425	29	FB-240B	58	SL2816	20		
5430	29	FC-180	58	SL2825	20		
6611	36	FC-180B	58	SL2825IE	20		
6611IM	36	FC-210	58	SL2830	20		
6622	36	FC-210B	58	SL28116	20		
6622IM	36	GP12	27	SL2912	20		
6633	36	GP116	27	SL2925	20		
7116	22	GP25	27	SL29116	20		
7125	22	HNB-W7	55	SL52425	14		
7125IE	22	HRG-A7	55	SLSS125	17		
7130	22	LRG-A5	55	SM3912	28		
7325	23	LRG-W5	55	SM3916	28		
7330	23	MK1212-DW	48	SM3925	28		
7416	23	MK3112	50	SM5412	29		
7425	23	MK31M	50	SM5416	29		



Contractor TS

The Contractor TS is the first 1 1/4 in. wide-blade tape measure created by KOMELON. Its compact case is ergonomic and fits comfortably in your hand. The nylon coated blade is made to last and is resistant to wear. The finger-stop on the 25 ft. and the 35 ft. models provide full control and protection from blade whipping during retraction. Last, but not least is the 12 ft. of true standout, providing a straighter and more accurate use of standout on any job site.







Finger-stop for control and protection



12ft of True Standout

- · Compact case
- 12 ft. of true standout
- Nylon coated blade
- · Printing on both sides of the blade
- · Magnetic end hook allows for easier one person measurement (79425)





Vertical graduations on back



ITEM NO.		<u>↓</u>			
93416	16 ft.	1 1/4 in.	4	24	6 50056 93416 5
93425	25 ft.	1 1/4 in.	4	24	6 50056 91425 9
93435	35 ft.	1 1/4 in.	4	24	6 50056 93435 6
79425	25 ft.	1 1/4 in.	4	24	6 50056 70425 6

Contractor LR

The Contractor LR is another first to the market by Komelon. This tape is manufactured with a rust-resistant stainless steel spring, ensuring that the blade will always retract back into the case. This ergonomic compact case fits nicely in your hand. The nylon coated blade is made to last and is resistant to wear. Plus, the blade is 20% thicker to prevent kinking. The blade also has marks on both sides to provide guick and easy readability in any application.








Stainless steel spring



20% thicker blade to prevent kinking

- · Compact case
- · Built in stainless steel spring
- · Double nylon coating
- · Printing on both sides of blade



ITEM NO.		<u>↓</u>			
16LR	16 ft.	1 in.	4	24	6 50056 00016 7
25LR	25 ft.	1 in.	4	24	6 50056 01125 5

Contractor LT

The Contractor LT by Komelon is the first long steel tape with extruded blade coating. This is a special coating that surrounds the entire blade to protect it and the markings from any abrasion. It's heavy-duty, ergonomic case is durable and will withstand the harshest work environments. It even has a built-in blade cleaner to ensure long-lasting blade life. Lastly, the long steel tape features a fast, 3:1 geared rewind and comes with a stake for single person use.



100ft 2	DURA NY-Coat™	копероп 🔼	NYLON 🚗	7	0
			COAT	la ta la fa	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1

ITEM NO.		<u>↓</u>			
N9100	100 ft.	1/2 in.	1	5	6 50056 09100 4
N9200	200 ft.	1/2 in.	1	5	6 50056 09200 1

SPECIALTYTape



LED TAPE


This ultra compact, professional LED tape measure is the industries first! The built in LED light is strong enough to light up any dark environment, ensuring an accurate measurement. The LED has an auto shutoff after 5 minutes, in the event it accidentally gets turned on. It also comes equipped with a USB cable for lightning fast battery charges. A full charge will allow for 3 hours of continuous run time.





Conveniently placed button & Quick rechargeable USB

- · Ultra-compact case
- Built in LED light
- · Non-glare white blade
- · Dual sided blade printing
- Dual end hook






ITEM NO.		<u></u> <u> </u>			
25LED	25 ft.	1 in.	4	24	6 50056 10025 6

Flat Tape



- Flat steel measuring tape with adhesive back
- · Adheres to any clean flat surface
- Can be cut to desired length











ITEM NO.		<u>↓</u>			
F12	12 ft.	1/2 in.	6	24	6 50056 00012 9

Keychain Tape



ITEM NO.		<u>₩</u>			
4110CS	10 ft.	1/4 in.	-	18	6 50056 04110 8







POWERBLADE TAPES

ABS POWERBLADE™ **III**

The ABS Power Blade II features a reinforced ABS plastic housing and high visibility blade. The high visibility color makes this tape very easy to read in any lighting situation. It also features larger printing. This Power Blade has been redesigned to be more compact and easier to handle. The Power Blade II also has an option with a magnetic end hook (73425) as well as Inch/Engineer (52425IE).



ABS POWERBLADE™ **II**

ITEM NO.		<u></u> <u></u> <u></u> <u></u>			
52416	16 ft.	1 1/16 in.	4	24	6 50056 52416 8
52425	25 ft.	1 1/16 in.	4	24	6 50056 52425 0
52430	30 ft.	1 1/16 in.	4	24	6 50056 52430 4
52435	35 ft.	1 1/16 in.	4	24	6 50056 52435 9
73425	25 ft.	1 1/16 in.	4	24	6 50056 73425 3
52425IE	25 ft.	1 1/16 in.	4	24	6 50056 52426 7

IE = Inch/Engineer Scale *IE is not printed on both sides

Vertical graduations on back

ամակա<mark>նդ</mark>ուկակակակակակակակակակակա

SELF LOCK

ABS POWERBLADE™ **III**

The Self Lock ABS Power Blade is the most feature oriented Power Blade tape measure in the Power Blade family. This tape offers our patented self locking mechanism, wide blade, high visibility blade color and back side blade printing. This tape measure is designed to handle all your measuring needs.





SL52425

- · Easy to work push button retrieval
- · Compact case
- · Wider blade for added standout
- Printing on both sides of blade with dual end hook

Horizontal graduations on front





Self Locking

ABS POWERBLADE™ II

ITEM NO.		<u> </u>			
SL52425	25 ft.	1 1/16 in.	4	24	6 50056 54425 8



STAINLESS STEEL TAPES


STAINLESS STEEL™

All metallic components are Stainless Steel to resist rusting and extend the life of the tape measure. These tapes are ideal for working in wet or dirty conditions and have a non-glare silver blade.





- · Slide lock holds blade firmly
- · Non-glare silver blade
- · Built in stainless steel spring
- · Stainless steel blade and end hook







SS116, SS125, SS130



Stainless steel blade



Stainless steel spring

ITEM NO.		_ Міріміг			
SS116	16 ft.	1 in.	4	24	6 50056 03416 2
SS125	25 ft.	1 in.	4	24	6 50056 03425 4
SS130	30 ft.	1 in.	4	24	6 50056 03430 8


SELF LOCK™ STAINLESS STEEL™

The Stainless Steel Self Lock combines two great features into one unique tape measure. Not only does this tape have the self locking feature of our #1 selling tape, it is also made with stainless steel components to help prevent rusting and extend the life of the tape.





SLSS125



Stainless steel blade

- Durable chrome case with protective rubber
- · Easy to work thumb push button retrieval
- Automatic blade lock
- · Non-glare silver blade
- · Built in stainless steel spring
- · Stainless steel blade and end hook

Horizontal graduations on front





Stainless steel spring

ITEM NO.		<u>↓</u>			
SLSS125	25 ft.	1 in.	4	24	6 50056 10125 3

SELFLOCKTAPES





Komelon took their best selling tape series to a whole new level. The Evolution is loaded with features. This self locking tape measure is equipped with our high visibility blade, a dual end hook, and back side printing on the blade.



- · Easy to work thumb push button retrieval
- · Nylon coated blade for maximum durability
- · Ergonomically designed case
- · High visibility blade color
- Dual end hook
- · Printed on both sides of blade

Horizontal graduations on front



Vertical graduations on back





EV28116, EV2825, EV2830, PSE55E, PSE85E



Self Locking

ITEM NO.		<u>արսան</u>			
EV28116	16 ft.	1 in.	4	24	6 50056 03816 0
EV2825	25 ft.	1 in.	4	24	6 50056 03825 2
EV2830	30 ft.	1 in.	4	24	6 50056 03830 6
PSE55E	5m / 16 ft.	1 in.	5	40	6 50056 00155 3
PSE85E	8m / 26 ft.	1 in.	5	40	6 50056 00085 3

PSE55E & PSE85E = Inch/Metric Scale

SELF LOCK[™]





SL2812, SL2816, SL28116, SL2825, SL2825IE, SL2830

Inch/Engineer blade

ITEM NO.	<u> </u>	<u> </u>			
SL2812	12 ft.	5/8 in.	4	24	6 50056 02812 3
SL2816	16 ft.	3/4 in.	4	24	6 50056 02816 1
SL28116	16 ft.	1 in.	4	24	6 50056 28161 0
SL2825	25 ft.	1 in.	4	24	6 50056 02825 3
SL2825IE	25 ft.	1 in.	4	24	6 50056 12825 0
SL2830	30 ft.	1 in.	4	24	6 50056 02830 7

IE = Inch/Engineer Scale *IE is not printed on both sides



- Yellow ABS case with protective rubber
- · Easy to work thumb push button retrieval
- · Automatic blade lock
- · Fractional graduations for easy read and accurate measurement



SL2912, SL29116, SL2925

1 2	25ft 3	4	5	NYLON 6	7	8
1/2 1/4 3/2 1/2 5/3 3/4 7/6 1/4 1/4 3/6 1/2 5/6 3/4 7/6	1/8 1/4 3/8 1/2 5/8 3/4 7/8	1/6 1/4 3/6 1/2 5/6 3/4 7/6 	1/4 3/4 3/2 5/4 3/4 3/4 	1/2 1/4 3/2 5/2 5/3/4 7/2	1/4 1/4 3/4 1/2 5/4 3/4 7/8	1/8 1/4 3/8 1/2 5/8 3/4 7/8

ITEM NO.		<u> </u>			
SL2912	12 ft.	5/8 in.	4	24	6 50056 02912 0
SL29116	16 ft.	1 in.	4	24	6 50056 29116 9
SL2925	25 ft.	1 in.	4	24	6 50056 02925 0



MAGNETIC TAPES

MAGGRIP™Pro

The MagGrip Pro Series features a magnetic dual-end hook which allows for easier one person measurement. The powerful magnetic tip holds the tape measure blade firmly in place on iron and steel surfaces. This tape measure blade also offers double sided printing for precise marking and line drawing. The rust-resistant nylon coating covers the entire blade surface ensuring long-lasting readability and durability.





7116, 7125, 7125IE, 7130

Horizontal graduations on front





355	2 16ths 3	DURA NY-Coat®	кошегоп. 5	NYLON COAT 6	
.1	2 10ths-100	ths .3 Engi	neers 4	.5	.6



Magnetic dual end hook

ITEM NO.		<u>↓</u>			
7116	16 ft.	1 in.	4	24	6 50056 07116 7
7125	25 ft.	1 in.	4	24	6 50056 07125 9
7125IE	25 ft.	1 in.	4	24	6 50056 71255 8
7130	30 ft.	1 in.	4	24	6 50056 07130 3

IE = Inch/Engineer Scale *IE is not printed on both sides

MAGGRIP™





7416, 7425, 7430, 7425IM

Inch/Metric blade

MagGrip™

Large read numbers



ITEM NO.		<u>↓</u>			
7416	16 ft.	1 in.	4	24	6 50056 07416 8
7425	25 ft.	1 in.	4	24	6 50056 07425 0
7425IM	25 ft. / 7.5 m	1 in.	4	24	6 50056 74250 0
7430	30 ft.	1 in.	4	24	6 50056 07430 4

IM = Inch/Metric Scale





Pause button on bottom to hold tape



7325, 7330

Fractional graduations

Neo Mag	Grip™		3 4 5 7
		_	

ITEM NO.		<u></u> <u> </u>			
7325	25 ft.	1 in.	4	24	6 50056 07325 3
7330	30 ft.	1 in.	4	24	6 50056 07330 7



BIG JOHN






535C

- · Compact 35' chrome case fits comfortably in hand
- · Positive lock holds blade securely
- · Rich classic chrome look
- · Nylon coated blade for maximum durability





Nylon coated blade for maximum durability

ITEM NO.		<u></u> <u> </u>			
535C	35 ft.	1 in.	4	24	6 50056 20325 4

THE CHROME PROFESSIONAL™

Komelon has taken our popular chrome Professional series tapes and made them even better. We have added a high visibility blade with large read printing to make this tape easier to read and mark with.





410HV, 412HV, 416HV, 425HV, 430HV 435HV, 425IEHV, 433IEHV

Large read numbers



Inch/Engineer blade



- · Ergonomically designed chrome case
- Slide lock
- · Nylon coated, high visibility blade
- · Available in feet/inches, inch/engineer
- · Large read blade

ITEM NO.		<u>↓</u>			
410HV	10 ft.	5/8 in.	4	24	6 50056 01410 2
412HV	12 ft.	5/8 in.	4	24	6 50056 01412 6
416HV	16 ft.	3/4 in.	4	24	6 50056 01416 4
425HV	25 ft.	1 in.	4	24	6 50056 01425 6
430HV	30 ft.	1 in.	4	24	6 50056 01430 0
435HV	35 ft.	1 in.	4	24	6 50056 01435 5
425IEHV	25 ft.	1 in.	4	24	6 50056 42501 4
433IEHV	33 ft.	1 in.	4	24	6 50056 43301 9

IE = Inch/Engineer Scale

GRIPPER™ PRO



- · Compact Rubberized ABS case
- · Nylon coated blade for maximum durability
- · Large read numbers
- · Slide lock

Inch blade



─	<u>↓</u>			
12 ft.	3/4 in.	4	24	6 50056 20012 3
16 ft.	1 in.	4	24	6 50056 20016 1
25 ft.	1 in.	4	24	6 50056 20025 3
	12 ft. 16 ft.	12 ft. 3/4 in. 16 ft. 1 in.	12 ft. 3/4 in. 4 16 ft. 1 in. 4	12 ft. 3/4 in. 4 24 16 ft. 1 in. 4 24

THE PROFESSIONAL™





4912, 4916, 4925, 4930, 4933 4912IM, 4916IM, 4925IM, 4930IM SM3912, SM3916, SM3925



White speed mark blade

ITEM NO.		<u></u> <u> </u>				
4912	12 ft.	5/8 in.	4	24	6 50056 04912 8	
4916	16 ft.	3/4 in.	4	24	6 50056 04916 6	
4925	25 ft.	1 in.	4	24	6 50056 04925 8	
4930	30 ft.	1 in.	4	24	6 50056 04930 2	
4933	33 ft.	1 in.	4	24	6 50056 04933 3	
4912IM	12 ft. / 3.5m	5/8 in.	4	24	6 50056 49120 0	
4916IM	16 ft. / 5m	3/4 in.	4	24	6 50056 49160 6	
4925IM	25 ft. / 7.5m	1 in.	4	24	6 50056 49250 4	
4930IM	30 ft. / 9m	1 in.	4	24	6 50056 49300 6	
SM3912	12 ft.	5/8 in.	4	24	6 50056 39121 0	
SM3916	16 ft.	3/4 in.	4	24	6 50056 39161 6	
SM3925	25 ft.	1 in.	4	24	6 50056 39251 4	
IM - Inch/Motric Scale	SM – Spood Mark blade					

IM = Inch/Metric Scale SM = Speed Mark blade

GRIPPER™





5425, 5430, PG85, SM5412, SM5416, SM5425, SM5430

- · Ergonomic, compact case design
- · Acrylic coated blade
- · Available in feet/inches or metric scale

Inch blade



Metric Blade



Fractional graduations





Thick rubber jacket

ITEM NO.		<u></u>			
5425	25 ft.	1 in.	4	24	6 50056 40525 2
5430	30 ft.	1 in.	4	24	6 50056 05430 6
PG85	8m	25mm	10	40	8 803005 26910 4
SM5412	12 ft.	5/8 in.	4	24	6 50056 54121 9
SM5416	16 ft.	1 in.	4	24	6 50056 54161 5
SM5425	25 ft.	1 in.	4	24	6 50056 54251 3
SM5430	30 ft.	1 in.	4	24	6 50056 54230 0
PG85 = Metric only	SM = Speed Mark blade				

THE TRADESMEN™





3725, 3925, T3725, T3925

- · Thick, high carbon steel blade
- Triple riveted end hook





The Tradesmen™

· High quality opening price point tape measure

ITEM NO.		<u> </u>			
3725	25 ft.	1 in.	4	24	6 50056 03725 5
3925	25 ft.	1 in.	4	24	6 50056 03925 9
T3725	25 ft.	1 in.	12	48	6 50056 37252 3
T3925	25 ft.	1 in.	12	48	6 50056 39252 1

COLOURS™











3516

Fractional graduations



- · Assorted, eye catching transparent colors
- · Compact case design
- · Fractional graduations on blade
- · Non-glare white blade



Speed mark blade

ITEM NO.		<u> </u>			
3516	16 ft.	1 in.	4	24	6 50056 35162 7

TOUCH LOCK™







Magnetic Back

3110

- · Small enough to fit in pocket or handbag
- Assorted, eye catching transparent colors
- · Large center brake to hold blade at desired length
- · Diameter scale on backside of blade
- Strong magnetic back secures tape to metal surface like refrigerators, tool boxes and filing cabinets



Diameter scale

ITEM NO.		<u> </u>			
3110	10 ft.	1/2 in.	6	36	6 50056 31100 3



KOMELON Fiberglass Tapes

TENSILE STRENGTH: KOMELON tapes are manufactured with our own fiberglass compression technology invented for 16,000 filament strands to withstand over 500kg of pulling force.

BLADE STRUCTURE OF KOMELON FIBERGLASS TAPE



- Fiberglass strands
- Permanent adhesion
- **PVC** coating
- Printing
- Transparent PVC
- Glare-proof embossed finish

KOMELON double-coated fiberglass tapes feature a transparenit PVC coating which is able to resist wear and tear up to 40 times more than other non-coating fiberglass tapes.

ABRASION TEST RESULT OF KOMELON FIBERGLASS

KOMELON



Other non-coating blades



Abrasion test: KOMELON double coated fiberglass tapes resist 10,000 cycles(20,000 scrubs). Other A grade brand fiberglass tapes showing signs of wear and fading of the printing at 250cycles (500 scrubs).

FEATURES AND BENEFITS OF KOMELON FIBERGLASS TAPES



KOMELON Double-Coated blade protects markings and graduations from chemical and mechanical abrasion. It is waterproof and dirtresistant. Resists stretching even in extreme temperatures.




White and Yellow, 2 color blade prevents twisting while using.

FAST BACK™




ITEM NO.		<u></u> <u> </u>			
8811	100 ft.	1/2 in.	1	5	6 50056 08811 0

FIBER REEL™



6611, 6622, 6633, 6611IM, 6622IM, 66330IM





ITEM NO.		<u>†</u>			
6611	100 ft.	1/2 in.	1	5	6 50056 06611 8
6622	200 ft.	1/2 in.	1	5	6 50056 06622 4
6633	300 ft.	1/2 in.	1	5	6 50056 06633 0
6611IM	100ft./30m	1/2 in.	1	5	6 50056 66110 8
6622IM	200ft./60m	1/2 in.	1	5	6 50056 66220 4
66330IM	330ft./100m	1/2 in.	1	5	6 50056 66331 7

IM = Inch/Metric Scale


LONGSTEEL TAPES



KOMELON Long Steel Tapes

LONG Steel Tapes are used by contractors, concrete workers, road contruction crews and various other professionals who need accurate measurements.

Blade Structure of KOMELON Long Steel Tapes



BLADE STRUCTURE OF KOMELON LONG STEEL TAPES

- a. High grade carbon steel
- b. Anti-rust phosphate surface treatment
- c. Strong baked on paint
- d. Transparent nylon coating
- e. Tough embossed finish

Features and Benefits



De-burred edges: Rough edges cause corrosion and rust, KOMELON steel tapes with de-burred edge treatment prevents the rough blade edges from causing early corrosion and cracking



Nylon coating: The KOMELON DURA NY-Coat™ nylon coating reduces wear and abrasion. Featuring an embossed finish for added protection and reduced glare. The rust-resistant nylon coating covers the entire blade surface, ensuring long lasting readability and durability.



Heavy duty case construction with impact resistant ABS case or frame. Built-in wire guard to protect case.



Durable rollers guide the blade and prevent twisting.



Versatile ring end hook (*Add 1 inch when measuring with the ring hook.)



Magnetic end hook allows for easier one person measurement. Available in MagGrip Gripper™

Zero commencement is inside of the hook. Add 0.078 inch when the magnetic tip is abbutted to a metal surface for an exact measurment.

STEEL REEL™

Komelon open reel steel tapes feature a nylon coated steel blade that will not stretch or distort. This high quality measuring tool is a must for anyone that needs to be extremely accurate.





N6300

- · Wood handle grip
- · Heavy duty metal frame
- · Nylon coated blade
- · Versatile end hook
- Folding rewind crank

Metal Frame Steel Reel

ITEM NO.		<u> </u>			
N6300	300 ft.	1/2 in.	1	5	6 50056 16300 8





N6100, N6200


- Heavy duty ABS frame
- Durable folding handle and rubber hand grip
- Nylon coated blade


	Reel
Steel	ı Keel

ITEM NO.		<u>†</u>			
N6100	100 ft.	1/2 in.	1	5	6 50056 16100 4
N6200	200 ft.	1/2 in.	1	5	6 50056 16200 1

GRIPPER™

If you're looking for a long steel tape measure in a compact case and with an ultra durable nylon coated blade, the Gripper is for you. This 100'/30m inch metric scale steel tape has a strong rubber jacketed case which has been proven in professional work sites. The steel blade is covered by Komelon's nylon coat making it one of the longest lasting tapes in the market today. If you're serious about getting a job done, you need the right tools. The 100'/30m steel Gripper will do just that with pinpoint accuracy





Gripper™

ITEM NO.		<mark>#</mark> пшт •			
9905	50 ft.	3/8 in.	4	16	6 50056 09905 5
9901	100 ft.	3/8 in.	4	16	6 50056 09901 7
9901IM	100ft./30m	3/8 in.	4	16	6 50056 99010 9

IM = Inch/Metric Scale



The Gripper Evolution is Komelon's newest closed case long steel tape measure. This long steel tape measure has a high visibility blade which makes it easier to read and ideal to use in all light conditions. The redesigned ABS case with durable rubber grip is ergonomic and functional with both a belt clip and carabineer option to help carry the tape. The Gripper Evolution is the perfect long steel tape for any contractor or other professional who needs accurate measurements.



· Belt clip and carabineer



ITEM NO.		<u> </u>			
9911	100 ft.	1/2 in.	4	16	6 50056 09911 6



Quick Draw Belt Clip

Tape measures are used constantly on jobsites and home improvement projects. Komelon's Quick Draw allows for quick and easy access to your tape measure every time a measurement is needed. The Quick Draw locks your tape measure firmly in place when not in use, ensuring the tape measure is secure. With the push of a button the tape measure is back in your hands ready for the next measurement. No longer do you have to struggle with attaching your tape measure to your belt or possibly ripping your favorite pair of work pants. This convenient tape measure accessory is ideal for any home owner or professional tradesman.









- 1. Unscrew the standard belt clip
- 2. Screw in Quick Draw adaptor

- Quick & easy tape measure access
- Tape locks firmly in belt clip holster
- Easy push button retrieval
- 2 adaptors included for 2 separate tape measures
- Compatible with all KOMELON tape measures
- Tether strap compatible

ITEM NO.	DESCRIPTION			
QD1	Quick-Draw Belt Clip	10	40	6 50056 00001 3

Torch Safe™

The Torch Safe is safe, convenient, and a must have for anyone using utility torches. The Torch Safe's purpose is to securely hold and store your utility torch and should be installed in your work van, on your tool box, or right next to your work bench.





- Safely stow your torch at home or on the job
- · Holds a 14.1oz / 400g Torch
- · No more broken or bent torches
- Mounting screws included

ITEM NO.	DESCRIPTION			
TS1	Utility Torch Holder	4	24	6 55348 89012 9

Private Label Program



For information about our private label program please contact the Komelon sales dept. at **888-396-TAPE** (8273) or by email at **sales@komelonusa.com**

- Leadtime: Upon approval of artwork and placement of a minimum order it takes appoximately 4 weeks to receive the labels, Your labels will then be kept on hand to support any re-orders.
- Labeling of all product will be done at Komelon USA upon receipt of labels.

"Great for advertising, giveaways, or everyday items"



12 & 18 SERIES



12 Series

ITEM NO.	DIAMETER	COLOR		1	
ML1212	4"(Feet/Inches)	High Visibility	1	8	6 55348 61212 7

18 Series

ITEM NO.	DIAMETER	COLOR		Î	
ML1810	6" (Feet/Tenths)	High Visibility	1	2	6 55348 61810 5
ML1812	6"(Feet/Inches)	High Visibility	1	2	6 55348 61812 9
ML18M	6"(Meters/DM)	High Visibility	1	2	6 55348 61800 6

12 SERIES DUAL WHEEL



MEASURE MARKER



ITEM NO.	DIAMETER	COLOR			
MKMM12	6"(Feet/Inches)	High Visibility	1	2	6 55348 80613 7

31 & 45 SERIES

The 10" and 14.3" diameter wheels are the most popular wheels in the market place. The 10" is versatile enough for indoor and outdoor use, while the 14.3" is perfect for almost any outdoor use.

The wheels are covered with a composite tread to provide improved traction on smoother surfaces. These are the perfect wheel for almost any application.

Applications include:

Athletic and Rec. Departments, Concrete and Asphalt Contractors, Estimating, Fencing, Grounds Maintenance, Irrigation, Surveying

HIGH VISIBILITY **SAFETY COLOR**

Comfortable pistol grip handle

Protective rubber counter jacket



Telescoping shaft

Accurate gear driven counter with push button reset

Polyvinyl tead for improved traction

Durable metal kickstand






ITEM NO.	DIAMETER	COLOR		Î	
MK3112	10" (Feet/Inches)	High	1	2	6 55348 83112 2
MK31M	10" (Meter/DM)	Visibility	1	2	6 55348 83100 9

45 Series

ITEM NO.	DIAMETER	COLOR	1		
MK4512	14.3" (Feet/Inches)	High	1	2	6 55348 84512 9
MK45M	14.3" (Meters/DM)	Visibility	1	2	6 55348 84500 6



60 & 79 SERIES



ELECTRONIC WHEEL

The Electronic Measuring Wheel features easy to use electronic counters. These are easy-to-read LCD displays that show distances in feet or meters simply by pushing a button.

LCD Display

Shows six digits or four whole numbers and two decimals.

Operates in forward and reverse

HIGH VISIBILITY SAFETY COLOR



#1/#2

This button alternates the display between #1 or #2 data.

ON/CLR Button

This function key turns the electronics on when pressed once and clears the existing reading when pressed a second time. If the wheel controls are not operated for a period of three minutes, the unit will turn off to conserve battery life, but will continue to retain data.

M/FT

Select from 3 measuring modes: Feet & Inches (000'00') Feet & Hundredths of a foot (0000.00) Meters & Centimeters (0000.00)

HLD/CLR

Pressing this button once holds the #1 or #2 reading. Pressing a second time clears the reading and hold.

Adjustable twist and lock handle


Polyvinyl tread for improved traction

Electronic wheels feature electronic counters located at the end of the handle shaft

Electronic Measuring Wheel Series


ITEM NO.	DIAMETER	COLOR	9		
EW31	10" (Feet&Meter)	High Visibility	1	2	6 55348 90310 2

METAL MEASURING WHEEL



ITEM NO.	DIAMETER	COLOR			
MMW15	15.5" (Feet/Inches)	High Visibility	1	-	6 55348 00015 3

Cutter *Knife*




CUTTER KNIFE





Smooth operation auto lock







SNB-A4, LRG-A4, HRG-A7

Auto Lock

ITEM NO.	w] Zerrace	<u>/////// </u>			
SNB-A4	9mm	13	10	120	6 50056 00009 9
LRG-A5	18mm	10	10	120	6 50056 00118 8
HRG-A7	25mm	7	6	72	6 50056 30025 0





Secure wheel lock



Replacement blades available



SNP-W4, LRG-W4, HNB-W7

Wheel Lock

ITEM NO.	w] Zerring	//////_0/			
SNP-W4	9mm	13	10	120	6 50056 00029 7
LRG-W5	18mm	10	10	120	6 50056 00318 2
HNB-W7	25mm	7	6	72	6 50056 20125 0



CARPENTER SAW



The SpeedCut™ Carpenter Saws are ideal for any master woodcrafter or homeowner. The pull saw style refers to the functionality of the saw, which is to cut on the pullback motion. The pull saw technique ensures the blade remains straight, eliminating the bending and binding of conventional push saws. The thin blade design produces less sawdust for a more precise cut with a fraction of the power needed for conventional saws. The flexibility of the blade also allows for easier access in otherwise hard to reach places.

Pistol Grip Handle







ITEM NO.		THE THE	V.			Î	
PG-265	10-1/2"/265mm	14.5	0.068"/1.75mm	0.48	6	24	6 50056 51265 3
OS(PG)-265B [€]	10-1/2"/265mm	14.5	0.068"/1.75mm	0.22	10	50	6 50056 42659 2

PRUNING SAW

FB Series



ITEM NO.		4 T/ 4	V.			Î	
FB-240	9-1/2"/ 240mm	6.5	0.157"/ 4mm	0.66	4	24	6 50056 10240 3
FB-240B	9-1/2"/ 240mm	6.5	0.157"/ 4mm	0.12	20	80	6 50056 10249 6

FC Series

















ITEM NO.		77.77	V.				
FC-180	7"/ 180mm	6.5	0.157"/ 4mm	0.46	4	24	6 50056 13180 9
FC-210	8"/210mm	6.5	0.157"/ 4mm	0.55	4	24	6 50056 13210 3
FC-180B [€]	7"/ 180mm	6.5	0.157"/ 4mm	0.09	20	80	6 50056 13189 2
FC-210B ⁸	8"/210mm	6.5	0.157"/ 4mm	0.11	20	80	6 50056 13219 6

PRUNING SAW

PWC series





₹ Replacement blade only

CWC series



ITEM NO.		4444)	V/V				
CWC-330	13"/ 330mm	6.5	0.157"/ 4mm	0.95	4	24	6 50056 32330 3
CWC-330B ⁸	13"/ 330mm	6.5	0.157"/ 4mm	0.25	20	80	6 50056 32339 6



BUSINESS TERMS

PRICES: Subject to change without notice. Orders accepted only on the basis of prices in

effect on date of shipment, all prices shown reflect individual unit price.

PAYMENT TERMS: Terms are Net 30 days.

MINIMUMS: Minimum order for all accounts is \$250 - Tape measures + wheels

Minimum order for all accounts is \$150 - Pruning saws only

FRFIGHT: Prepaid at \$350.00 net within the continental U.S. and \$750 to Canada

- Tape measures + wheels

Prepaid at \$150,00 within the continental U.S. and \$250 to Canada

- Pruning saws only

Prepaid at \$2500.00 net Alaska, Hawaii, Puerto Rico.

PACKAGING Weight shown on the packing slip is based on current policy and can change

without notice.

In the event of a shortage or other discrepancy, the weight of the shipment will

govern.

KOMELON USA DIVISION RESERVES THE RIGHT TO INCREASE OR DECREASE THE QUANTITY AS ORDERED TO NEAREST INNER PACK OR MASTER PACK QUANTITY

FOR SHIPMENT

RETURN POLICY: KOMELON USA DIVISION Products are not to be returned unless prior

authorization has been received from our sales department. Wholesalers and

dealers are not authorized to make replacements.

When returns have been authorized, they should be sent to:

KOMELON USA DIVISON N8 W22380 Johnson Drive Waukesha. WI 53186

RETURNS MUST BE SENT FREIGHT PREPAID

Credit for authorized returned will be issued at the products current value less

applicable return freight costs and packaging.

ORDERING INFORMATION:

KOMELON USA DIVISION N8 W22380 Johnson Drive Waukesha, WI 53186

Phone: (262) 524-TAPE (8273), Fax: (262) 524-8293 Customer Service Order Dept.: 1-888-396-TAPE (8273)

Fmail: orders@komelonusa.com

MAILING ADDRESS: P.O. Box 1045

Waukesha, WI 53187-1045

MANUFACTURING

KOMELON CORP.

P.O. Box SAHA 50, Janglim-2dong, Saha-ku, Busan **HEADQUARTERS:**

Korea Phone: (82)-51-290-3100, Fax: (82)-51-290-3119

http://www.komelonusa.com

PAYMENT REMITTANCE: **KOMELON USA DIVISION**

N8 W22380 Johnson Drive Waukesha, WI 53186

http://www.komelonusa.com

CONTACT US AT:

sales@komelonusa.com

SEE US AT: www.komelonusa.com





USA Division

N8 W22380 JOHNSON DRIVE, WAUKESHA, WISCONSIN 53187-1045
PH. 262/524-TAPE (8273) TOLL FREE 1-888/396-TAPE (8273) FAX : 262/524-8293
www.komelonusa.com